
How to sharpen


an Auger Bit




Sharpening Spurs

Select an auger bit file or a small mill file


Hold the auger bit against a sold surface with shank down as illustrated





Lightly file inside surface of spurs, using care to retain original shape of spur.

Stop filing when a fine bur appears on cutting edge of spur. Check to determine if spurs are equal in length.




Remove bur from spurs with a light touch of file.

Sharpening Cutters


Hold auger bit against a solid surface with screw of auger bit pointing down.


Lightly file each cutter on top side. Use care to maintain original chisel-like shape of cutting edge.

Stop filing when a fine bur appears on cutting edge.



Check to determine if cutting edges contact surface of a board at same level.





CUTTING EDGES